

EN



Concorde
REISEMOBILE AUS LEIDENSCHAFT



LINER
TECHNICAL INFORMATION 2021

STANDARD EQUIPMENT

CHASSIS	MB ATEGO
Insulated, soundproofed engine compartment cover	•
Turbo diesel engine Euro VI d with rear drive and twin tyres	•
Automated 8-gear transmission	•
Differential lock for rear axle	•
Traction control system (TCS)	•
Full air suspension with "raising and lowering" function	•
Tyres	285 / 70R19.5
Rear axle tyres with traction pattern (mud and snow label)	•
Disk brakes on the front and rear axle	•
Dual circuit air brakes	•
Electronically regulated anti-lock braking system (ABS)	•
Electronic stability program (ESP)	•
Engine brake	•
Active Brake Assist (emergency brake assistant) with lane assistant	•
Lane departure warning system with buzzer	•
Cruise control	•
28 V / 150 A alternator including 90 A charger converter (for charging the body batteries)	•
Fuel tank	180 l
Driver's cabin air conditioning	•
Daytime running lights	•
Xenon front headlights with headlight cleaning system	•
Height and tilt of steering wheel adjustable	•
Self-contained, active dashboard including storage areas	•
Warning triangle, first aid kit, warning light and wheel chock	•
Breakdown kit (fuse box and two safety vests)	•
Stainless steel wheel covers	•

STANDARD EQUIPMENT

BODY	LINER
Dashboard and dashboard cover in faux leather, bi-colour "Mocca / Vanilla" upholstery	•
Panorama laminated glass windscreen with metal coating, which filters UV rays and reduces sunshine, as well as noise-control insulation	•
Windscreen can be heated while driving	•
Electric windscreen sun protection blinds	•
Side windows in driver's cabin with insulation glazing, tinted with pleated shade (can be used to shield the sun while driving) and fly screen, thermally separated frame	•
Double-glazed, smoky tinted plastic windows in living room, can be slid open, with pleated shade and fly screen	•
Insulating blinds for windscreen with electrical actuation	•
Highly-stable, durable Solidtherm aluminium laminate design	•
Fully-insulated wall connection technology free from thermal bridges with highly-compacted PU solid profiles	•
Completely insulated driver's cabin	•
Radiator between insulating blinds and windscreen	•
40 mm wall thickness, of which 38 mm is closed-cell RTM rigid foam	•
Walls, roof and underfloor in high-quality aluminium, both inside and out, in sandwich design	•
Smooth outer area, white stove-enamelled	•
Fully accessible roof on either side of the skylights	•
Aluminium roof moulding with rain water channels to reduce staining to the side walls	•
Front made of highly-stable, corrosion-free and non-decomposable fibreglass composite material	•
Side coverings made of highly-stable, corrosion-free and non-decomposable fibreglass composite material	•
Glass fibre rear wall in sandwich design with PU foam core and roof spoiler	•
Heated double floor, approx. 470 mm high, accessible at side through outer flaps	•
Heavy-duty rollers at the rear	•
Storage space flaps with cast aluminium hinges and low-maintenance, high-quality needle felt on the inside, thermally separated frame	•
Sandwich under and in-between floor with 40 or 30 mm thick RTM foam, total floor insulation 70 mm	•
Rear axle wheelhouse in fully-insulated sandwich design	•
Illuminated rear garage with left and right garage doors (not car garage models) and lashing rails	•
Inside illuminated entrance step, heated	•
External electric retractable entrance step with safety switch and lighting	•
"Security Plus" body door with combination safety lock, radio remote control and key emergency switch, "Interstop" door security	•
Fly screen for entrance door	•
Luxury driver's cabin suspension seats, air suspension with lumbar support and seat heating	•
"Privacy" front privacy blinds (variable visual protection from bottom to top)	•
Rear garage floor with rippled aluminium plate cladding	•
External coach mirror (long) with wide angle, electrically heated, adjustable	•
Coach style windscreen wiper system	•
1 x double USB charging socket in the driver's cabin	•

STANDARD EQUIPMENT

LIVING ROOM / BEDROOM AREA	LINER
Furniture flaps and doors:	
- Jatoba Brilliant (foiling on both sides) with handle bars in stainless steel look on the furniture flaps	•
Even living room floor from dashboard to the rear bed	•
Wall and ceiling covering with sound-absorbing mesh structure	•
Floor covering in yacht-style	•
Ergonomic sitting area, high-quality textile / microfibre upholstery with zips (body), including driver's cabin seats	•
High-quality sliding curtain	•
Multi-function couch on left side with seatbelt	•
Spacious wardrobe with LED lighting	•
Rear bed with spring base, adjustable headrest and comfortable cold-foam mattress	•
Double-glazed panorama skylight (Heki 3) with lighting, fly screen and pleated shade in living room ¹	•
Mini-Heki with fly screen and pleated shade in bedroom ¹	•
High-quality living room table	•
Wardrobe in the entrance area with LED lighting and pull-out bottle compartment	•
Entrance cabinet with removable shelves including matching assortment of glasses, with LED lighting	•
Light canopies with LED spotlights and indirect lighting with a high-quality artificial leather covering	•
Stable metal handle for boarding assistance	•
3 x 230 V sockets (1 x living room and 2 x bedroom)	•
3x double USB sockets (1x boardcontrol input, 2x sleeping space)	•
Wall covering for double/single beds in the vehicle rear with artificial leather cases (depending on the floor plan)	•

¹ The position of the skylight cannot be changed due to the roof canopy.

STANDARD EQUIPMENT

PULL DOWN BED (OPTIONAL)

LINER

Bed surface (mm)	2000 x 1350
Height above bed (mm)	860
Comfortable cold-foam mattress with spring base	•
Mini-Heki with fly screen and pleated shade ¹	•

KITCHEN

Kitchen area with splashguard	•
Mineral kitchen worktop with seamless sunken sink, colour: Achat white	•
Stainless steel 3-flame hob with automatic ignition and glass cover	•
Chrome single-lever mixer tap with high-quality design and extendable faucet	•
190 l refrigerator with separate 31 l freezer, dark mirror refrigerator decoration, AES (12 V / 230 V automatic and manual energy selection / gas), 28 l gas oven	•
Shelves with Servo-Soft compartment closing	•
Integrated cutlery drawer	•
Roof ventilator with ventilation and aeration ¹	•
Light canopies with LED spotlights and indirect lighting	•
LED spots under the wall cupboards	•
Integrated garbage system in the lower kitchen cabinet	•
3x 230 V socket tower, pull-out	•
Exclusive kitchen corner cabinet, lowerable	•
Plexiglas rear wall illuminated	•

¹ The position of the skylight cannot be changed due to the roof canopy.

STANDARD EQUIPMENT

BATHROOM / TOILET	LINER
High-quality design chrome single lever mixer tap on washstand	•
Washstand panel with seamless sunken sink, colour: Onix Bianco	•
Separate shower with real glass doors including removable clothes rail	•
Shower fittings with wall bar and height-adjustable shower head	•
Porcelain toilet with approx. 300 l fixed tank	•
Bathroom furnishings with toilet paper holder, toilet brush, liquid soap dispenser, shower hook and holder, toothbrush glasses	•
Bathroom window	•
Mini-Heki with fly screen and pleated shade ¹	•
Lighting with LED spots	•
Spacious wardrobe with LED lighting	•
Dressing mirror on sliding door	•
Spacious mirrored wardrobe	•
2 x 230 V sockets	•

¹ The position of the skylight cannot be changed due to the roof canopy.

STANDARD EQUIPMENT

WATER / GAS / HEATING

LINER

Central supply for wastewater and septic tank	•
Gas bottle compartment for 2 x 11 kg gas bottles	•
Gas controller with crash sensor and automatic bottle changeover	•
Household siphons	•
Fresh water tank approx. 400 l and wastewater tank approx. 300 l located in heated double floor	•
Easy wastewater tank cleaning with drain tap in the heated double floor	•
Flush connection with plug system for convenient cleaning of the septic tank	•
Wastewater drain hose with quick-lock coupling	•
Automatic central pressure water pump with filter system	•
5500 W Alde hot water gas central heater, with thermostatic control and timer, 230 V / 3000 W electrical heating cartridge, non-return valve with integrated hot water boiler for supplying all tapping points	•
Sleeping area / garage heating circuit can be thermally regulated	•
2-zone floor heating, can be regulated separately	•
2-zone room heating, can be regulated separately (1 x living room + bathroom, 1 x sleeping area)	•
Towel radiator in bathroom	•
Engine heat exchanger that uses the engine's cooling water to heat the living room	•

STANDARD EQUIPMENT

ELECTRONICS / TV / RADIO	LINER
Gel battery, 2 x 170 Ah	•
Battery computer with deep discharge protection	•
230 V CEE connection in the storage area with cable routing through vehicle floor	•
FI personal protection device	•
Combination charger with an inverter from 12 V to 230 V sine, 3000 W peak and 1600 W continuous power with electronic control and mains priority circuit, maximum charging current 60 A	•
Disconnection of vehicle electrical system with automatic restarting function when capacity limit is reached	•
230 V socket on the electric generator in the in-between floor	•
Double DIN radio with 7" display, DAB+ tuner, MP3, USB and 3-way speaker system connection as well as mobile phone hands-free module with Bluetooth	•
LED lighting in interior	•
Service-friendly access to the vehicle electrical system with perforated plate housing in rear garage (with G models, in external storage compartment on the right)	•
Automatic refrigerator switchover when the engine is not running from 12 V to gas / 230 V (with land connection)	•
Automatic charging of body and vehicle battery, charge retention in the event of external power connection and while travelling (Charger converter 2 x 45 A)	•
Circuit breaker for body battery	•
Automatic disconnection and connection of body and vehicle battery	•

STANDARD EQUIPMENT

ON-BOARD ELECTRONICS

LINER

- State-of-the-art micro-processor-controlled on-board electronics with BUS technology (binary unit system)
- Central regulation and control panel with 7" colour touch screen display

•
•

Buttons for switching on and off the following devices:

- Panel
- Lighting
- Water pump

•
•
•

LCD display field for monitoring:

- Fresh water tank (fill level in %)
- Wastewater tank (fill level in %)
- Septic tank (fill level in %)
- Battery voltage of the vehicle and body battery
- Indoor and outdoor temperature
- External current supply
- Gas fill level (only in combination with gas tank)
- Date and time with alarm function

•
•
•
•
•
•
•
•

Alarm equipment for:

- Wastewater tank full
- Fresh water tank empty
- Septic tank full
- Battery undervoltage
- Reserve gas tank
- Reserve gas bottle in use via separate control unit
- Extended entrance step


•
•
•
•
•
•
•

Battery computer:


- Body battery capacity indicator
- Charging and discharging current
- Combination-charger control

•
•
•


TECHNICAL SPECIFICATIONS




CL-Lounge with 2 seatbelts



Bar version




Glazed glass door in bathroom




LINER 996 MI


BASIC VEHICLE	MB Atego
CHASSIS TYPE	1230 L
ENGINE (Euro VI)	6-cylinder
ENGINE CAPACITY	7,7 l
OUTPUT	220 kW (299 hp)
TORQUE	1200 Nm
OVERALL LENGTH (mm)	9985
OVERALL WIDTH (mm)	2480
OVERALL HEIGHT (mm)	3780
WHEEL BASE (mm)	5060
GROSS VEHICLE WEIGHT RATIO (kg)	11990
MASS IN RUNNING ORDER (kg)	9040
PAYLOAD (kg)	2950
TRAILER LOAD BRAKED (kg)	3000
SEATS WITH 3-POINT SEATBELT IN LOUNGE / CL-LOUNGE / BAR VERSION	3 / 4 / 4
LEFT SEAT (CL-Lounge, mm)	1650 / 915
RIGHT SEAT (mm)	1360 / 650
REAR BED (mm)	2000 / 1800
PULL DOWN BED DIMENSIONS (optional, mm)	2000 / 1350
HEIGHT ABOVE PULL DOWN BED (mm)	860
RIGHT GARAGE DOOR, H / W (mm)	1250 / 1150
LEFT GARAGE DOOR, H / W (mm)	1250 / 800
REAR FLAP H / W (mm)	—



Smart 3



Fiat 500
Fiat Abarth 500
(optional)



Mini Cooper SD

LINER 990 GI

MB Atego	MB Atego
1230 L	1530 L
6-cylinder	6-cylinder
7,7 l	7,7 l
220 kW (299 hp)	220 kW (299 hp)
1200 Nm	1200 Nm
9985	10985
2480	2480
3780	3780
5060	5660
11990	15000
9130	9340
2860	5660
3000	3000
3 / 4 / 4	3 / 4 / 4
1650 / 915	1650 / 915
1360 / 650	1360 / 650
2000 / 1800	2000 / 1800
2000 / 1350	2000 / 1350
860	860
—	—
—	—
1670 / 2050	1670 / 2050

SPECIAL CHASSIS EQUIPMENT

PART NO.	MERCEDES BENZ ATEGO CHASSIS	ADDITIONAL WEIGHT IN KG
21-011-TF-1	Chassis variant 15,000 kg 1530 L instead of 1230 L (6 cylinders, 7.7 l, 220 kW (299 hp), 1200 Nm, height 3720 mm, wheel base 5060 mm) Chassis with 19.5" tyres Air suspension on the front axle Available for: 996 MI, 990 GI	90
21-131-TF	Trailer coupling with max. 3,500 kg trailer load (max. 3,000 kg from 10 t) (can only be delivered if mounted at the factory)	29
21-152-TF-1	Hydraulic supporting jacks with automatic levelling	139
21-152-TF-2	Hydraulic supporting jacks with automatic levelling (G models)	139
21-021-TF	High performance engine brake	6
21-053-TF	Spare wheel with steel rim and holder on the chassis ²	65
21-141-TF-2	7.50 x 19.5" "Alcoa Dura bright" light alloy wheels with standard tyres	-60
21-311-TF-1	Original steering wheel in leather with real chrome look	3
21-311-TF-2	Original steering wheel in leather with wood look	3
21-380-TF	Driver's cabin seats with air conditioning function and seat heating (only in combination with leather upholstery)	5
21-164-TF	Dual-tone compressed air horn	3
21-910-TF	Commitment fee including full series fuel tank and Adblue tank	0

²Combinations of options which can be attached to the chassis are only available with restrictions. A final confirmation can only be made after a technical test.

SPECIAL CHASSIS EQUIPMENT

PART NO.	BODY	ADDITIONAL WEIGHT IN KG
21-218-T0	External decor in "Centurion Style" including decals	1
21-218-T0-1	"Centurion Style" side wall design packet - Side wall planking in glossy black aluminium Dibond - C-brace around the driver's cab side windows	68
21-241-T0	Hydraulic rear flap opening with radio remote control for rear flap, winch and garage lighting (for G models only)	12
21-241-T0-1	Hydraulic rear flap opening with lift-up system and radio remote control for rear flap, winch and garage lighting (for G models only)	73
21-481-T0	Additional rigging bar in garage at the height of living room floor	3
21-481-T0-1	Lashing system with airline rails and 4 lashing rings embedded in rear garage floor, max. load 400 kg/m (not for G models)	4
21-481-T0-2	Lashing system with airline rails and 4 lashing rings embedded in rear garage floor, to both the right and left between side wall and ramp, max. load 400 kg/m (not for G models)	4
21-217-T0	Central locking system for storage space flaps with electric opening via sensor, storage space flaps with gas pressure springs and without recessed grips (without skirting panel flaps, gas locker door, toilet service door and garage door with G models)	5
21-232-T0-1	2 x 4 m roof awning integrated into the roof profile, electric (from 990)	94
21-232-T0-2	6.0 m roof awning integrated into the roof profile, electric (996 MI, 990 GI)	76
21-532-T0	LED roof lighting - Driver's and passenger's side can be switched and dimmed separately, switching function on the door and dashboard - Rear, switching function on dashboard	3
21-542-T0-1	LED lighting for storage areas in the double floor	1
21-216-T0	Front mirror right and left for external coach mirror	3
21-216-T0-1	External coach mirror in Centurion style, painted white	0
21-212-T0	Side windows in driver's cabin with insulation glazing and electrical actuation	3
21-213-T0	Windows with tinting in privacy black	0

SPECIAL EQUIPMENT BODY

PART NO.	LIVING ROOM / BEDROOM AREA	ADDITIONAL WEIGHT IN KG
21-605-T0	Roof cabinet fronts in the living and sleeping area in „high gloss“ Senosan creme white and Jatoba Brilliant colour combination	8
21-260-T0	Pull down bed with electrical actuation, spring base, instead of front wall units	53
21-722-T0	Blinds in living room with wood look	5
21-680-T0	CL-Lounge (4-person approval)	24
21-681-T0	Bar version with adjustable individual seat (4-person approval)	46
21-689-T0-1	Lowerable living room table with upholstered table cover (not in combination with bar version)	8
21-689-T0-4	Extendible and lowerable living room table with upholstered table cover (not in combination with bar version)	10
21-689-T0-3	Central table base with tabletop adjustable by foot pedal (only in combination with series table)	0
21-231-T0-2	Panorama skylight (Heki 3) instead of Mini-Heki (bedroom) ¹	19

¹ The position of the skylight cannot be changed due to the roof canopy.

SPECIAL EQUIPMENT BODY

PART NO.	KITCHEN	ADDITIONAL WEIGHT IN KG
21-622-T0-1	Hybrid ceramic stove top with two gas hobs and one induction hob	0
21-630-T0	177 l refrigerator / microwave combination instead of standard refrigerator combination	0
21-630-T0-1	177 l compressor refrigerator	0
21-630-T0-2	177 l compressor refrigerator / microwave combination	0
21-631-T0	Stainless steel microwave with grill function under hob, 230 V operation via external connection, 26 l cooking area (not in combination with part no. 21-632-T0)	22
21-632-T0	Dishwasher under hob (not in combination with part no. 21-631-T0)	25

SPECIAL EQUIPMENT BODY

PART NO.	ELECTRONICS	ADDITIONAL WEIGHT IN KG
21-511-T0-1	Electronic power package 1 x 170 Ah additional gel battery (total of 3 batteries), combination charger 100 A, sine wave inverter from 12 V to 230 V, 3900 W peak and 2600 W continuous output with network compensator	60
21-511-T0-2	Electronic power package "Ultra Power" Charger converter 2 x 50 A 1 x 400 Ah lithium battery (instead of series body batteries), combination charger 150 A, sine wave inverter from 12 V to 230 V, 6000 W peak and 3000 W continuous output with network compensator	-57
21-511-T0-3	Electronic power package "Ultra Power" XL Charger converter 2 x 50 A 2 x 400 Ah lithium battery (instead of series body batteries), combination charger 150 A, sine wave inverter from 12 V to 230 V, 6000 W peak and 3000 W continuous output with network compensator	-2
21-581-T0	Alarm system with surveillance of the garage doors / flaps and the living room door	3
21-560-T0	Double reverse camera with shutter (picture via standard radio) (not in combination with part no. 21-561-T0)	4
21-561-T0	Bird view (4-camera panoramic vision system) (not in combination with part no. 21-560-T0)	4
21-570-T0-1	Solar panels with approx. 180 W maximum power	15
21-570-T0-2	Solar panels with approx. 2 x 180 W maximum power	30
21-150-T0	2600 W gas generator, permanently installed (only in combination with gas tank) ²	50

² Combinations of options which can be attached to the chassis are only available with restrictions. A final confirmation can only be made after a technical test.

SPECIAL EQUIPMENT BODY

PART NO.	TV / RADIO / PHONE	ADDITIONAL WEIGHT IN KG
21-550-T0-1	Satellite TV system with 40" Full HD LED Smart TV in right roof cabinet, electrically lowerable Satellite TV system with 85 cm mirror, fully automatic alignment, multiple-subscriber configuration by means of TWIN-LNB, connection for second receiver with 12 V and antenna socket in bedroom, audio supplied via radio system (total vehicle height plus approx. 120 mm)	50
21-550-T0-2	Satellite TV system with 40" Full HD LED Smart TV in left roof cabinet, electrically lowerable Satellite TV system with 85 cm mirror, fully automatic alignment, multiple-subscriber configuration by means of TWIN-LNB, connection for second receiver with 12 V and antenna socket in bedroom, audio supplied via radio system (total vehicle height plus approx. 120 mm)	50
21-550-T0-3	Satellite TV system with 32" Full HD LED Smart TV in roof cabinet above the windscreen, not lowerable Satellite TV system with 85 cm mirror, fully automatic alignment, multiple-subscriber configuration by means of TWIN-LNB, connection for second receiver with 12 V and antenna socket in bedroom, audio supplied via radio system (total vehicle height plus approx. 120 mm) (not in combination with pull down bed)	43
21-551-T0	DVB-T2 exterior antenna for receiving terrestrial television (for 2 TV devices)	2
21-552-T0	32" Full HD LED Smart TV for rear sleeping compartment with integrated TV tuner	15
21-557-T0-1	LTE WLAN router for amplifying external WLAN signals and Internet TV streaming	1
21-555-T0-3	Navigation system (with truck software and 9" touchscreen display, integrated radio with DAB+ and MP3 playback, hands-free module for telephone with Bluetooth)	4
21-556-T0-2	Sound system (2 x 3-way speaker system in driver's cabin, 2 x 2-way speaker system in the living room, vehicle-specific frequency switching, bass reflex subwoofer, sound processor)	25
21-556-T0-1	Acoustic package for rear bedroom (2 x 2-way speaker system, 2 x mid/bass speakers and 4-channel amplifier for sound optimisation of LED flat screen)	20
21-521-T0	Socket combination, 230 V / 12 V / antenna, in double floor with floor routing, position: In external storage compartment, right side in the direction of travel (for optional external TV connection) (sat output)	1

SPECIAL EQUIPMENT BODY

PART NO.	WATER / GAS / HEATING / BATHROOM	ADDITIONAL WEIGHT IN KG
21-612-T0	Shower fittings with rain forest shower and hand shower with wall mount	2
21-424-T0	External shower in the garage (driver's side)	2
21-435-T0	Container for septic/wastewater drain hose in chassis	3
21-617-T0	SOG comfort toilet ventilation with activated carbon filter for fixed tank (extraction at toilet bowl)	1
21-582-T0	Gas alarm for monitoring the living room (carbon monoxide, propane, butane, paralysing gas, KO gas)	2
21-443-T0	External gas socket on the passenger's side (BBQ point)	1
21-151-T0-1	Gas tank approx. 120 l with gas prefilter, secondary gas filling point, crash sensor and fill level indicator in the control panel display, including skirting panel flap (including gas tank filling) ²	114
21-151-T0-2	Gas tank approx. 200 l with gas prefilter, secondary gas filling point, crash sensor and fill level indicator in the control panel display, including skirting panel flap (including gas tank filling) ²	170
21-575-T0-1	2400 W roof air conditioning with 1700 W heating element (total vehicle height plus 130 mm) ³	34
21-575-T0-2	2400 W air conditioning for living room with infrared remote control (mounting in double floor)	37
21-153-T0	"Motor Caravan" diesel auxiliary heating with convenient permanent heating function (5200 W) including timer	10
21-418-T0	6 l Alde-Flow additional hot water boiler	8
21-611-T0	Glazed glass door for partitioning of the toilet	12
21-619-T0	Mirrored cabinet in- and outside	1

²Combinations of options which can be attached to the chassis are only available with restrictions. A final confirmation can only be made after a technical test.

³If not ordered otherwise, the roof air conditioning is installed in the living room.

SPECIAL EQUIPMENT BODY

PART NO.	UPHOLSTERY FABRIC / LEATHER / CARPET	ADDITIONAL WEIGHT IN KG
21-700-T0-1	"Maxwell" textile / microfibre upholstery	0
21-700-T0-2	"Caramel" textile / microfibre upholstery	0
21-700-T0-3	"Vanilla" leather upholstery including colour-coordinated Concorde collection (recommended for furniture in Jatoba Brilliant)	15
21-700-T0-4	"Creme-Beige" leather upholstery including colour-coordinated Concorde collection	25
21-700-T0-5	"Savannah" leather upholstery including colour-coordinated Concorde collection	25
21-721-T0-1	Concorde collection "Maxwell": 2 x small pillows, 2 x big pillows, 2 x blankets	5
21-721-T0-2	Concorde collection "Caramel": 2 x small pillows, 2 x big pillows, 2 x blankets	5
21-471-T0-1	Soft-Walk floor covering in yacht-style (recommended for Atlas cedar furniture)	0
21-471-T0-2	Soft-Walk floor covering with slate look (recommended for Morettini Pear furniture)	0
21-730-T0-1	Living room carpet linked and removable, colour: Novus light beige (recommended for furniture in Jatoba Brilliant)	10
21-730-T0-2	Living room carpet linked and removable, colour: Creme	10

Concorde uses only the highest-quality fabrics and leather with a special dirt-repellent coating.

The mass in running order contains: The dry weight of the standard equipment including the driver (75 kg), filled fuel tank, 100 l of fresh water, 1 x filled 11 kg steel gas bottle, vehicle tool kit. The empty weight and dimensions can change if special equipment and accessories are installed. All dimension and weight specifications correspond to the state of knowledge at the time of printing. Deviations of +/- 5% are possible and permissible.



Concorde

REISEMOBILE AUS LEIDENSCHAFT

Presented by your Concorde dealer:

Concorde Reisemobile GmbH
Concorde-Straße 2-4 · D-96132 Schlüsselfeld-Aschbach (Germany)
Phone +49 (0) 9555 9225-0 · Fax +49 (0) 9555 9225-44
Internet: www.concorde.eu · E-mail: info@concorde.eu

Technical modifications reserved provided that the overall product quality remains the same or is improved and the intended purpose is not impaired. On publication of this technical information, all previous are rendered invalid. Subject to change without notice, errors excepted.